KENTUCKY AIRPORT ZONING COMMISSION AGENDA

June 13, 2019

KENTUCKY AIRPORT ZONING COMMISSION AGENDA

June 13, 2019

I. ROLL CALL:

Randall Royer, Interim Chairman Phillip J. Baugh Jr, Commissioner Michael Betson, Commissioner William DeReamer, Commissioner Kimber Heddens Jr, Commissioner Charles Miller, Commissioner Robert Riggs, Commissioner Susan Chaplin, Office of Legal Services John Houlihan, Administrator

II. INTRODUCTIONS:

Guests:

III. APPROVAL OF MINUTES FROM PREVIOUS MEETINGS – April 10, 2019

IV. OLD BUSINESS - ACTION REQUIRED -

1. AS-118-BYL-2018-072

APPLICANTS NAME East Kentucky Network, LLC.

CONSTRUCTION LOCATION Wofford, KY

LATITUDE/LONGITUDE 36° 48' 44.52" N / 84° 10' 2.57" W

HEIGHT (In Feet) 260' AGL/1411' AMSL

CONSTRUCTION PROPOSED Antenna Tower (Height Increase 84 ft)

NOTES: The existing antenna is located 9,397 ft northeast of Williamsburg Airport. Preliminary review indicates this structure height increase will exceeds state standard 602 KAR 50:010 Sec2(10) by 84 feet. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

2. AS-045-DWU-2018-099

APPLICANTS NAME Tillman Infrastructure LLC

CONSTRUCTION LOCATION Raceland, KY

LATITUDE/LONGITUDE 38° 32' 17.47" N / 82° 42' 55.34" W

HEIGHT (In Feet)

CONSTRUCTION PROPOSED

160' AGL/941' AMSL

Antenna Tower

NOTES: The structure will be located 8,869 feet southeast of Ashland Airport. Preliminary review indicates this structure exceeds state standard 602 KAR 50:010 Sec 2(14) by 245 feet. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, December 12, 2018.

V. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION BUT DO NOT EXCEED MINIMUM OBSTRUCTION STANDARDS:

1. AS-085-TZV-2019-046

APPLICANTS NAME Vertical Bridge Development LLC

CONSTRUCTION LOCATION Summer Shade, KY

LATITUDE/LONGITUDE 36° 52' 43.74" N / 85° 39' 53.06" W

HEIGHT (In Feet) 219' AGL/1349' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 8.9 nm north of Tompkinsville Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: 2019-ASO-5612-OE-No Hazard-Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

2. AS-024-HOP-2019-047

APPLICANTS NAME John Monday
CONSTRUCTION LOCATION Penbroke, KY

LATITUDE/LONGITUDE 36° 43′ 12.73″ N / 87° 20′ 16.38″ W

HEIGHT (In Feet) 270' AGL/838' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 8.0 nm northeast of Fort Campbell Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: 2019-ASO-3131-OE-No Hazard-Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with the FAA determination.

3. AS-002-BWG-2019-048

APPLICANTS NAME John Monday CONSTRUCTION LOCATION Scottsville, KY

LATITUDE/LONGITUDE 36° 42' 17.62" N / 86° 8' 11.3" W

HEIGHT (In Feet) 270' AGL/1201' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 20.0 nm southeast of Bowling Green Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: 2019-ASO-701-OE-No Hazard-Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

4. AS-001-AAS-2019-049

APPLICANTS NAME John Monday CONSTRUCTION LOCATION Knifley, KY

LATITUDE/LONGITUDE 37° 12' 35.5" N / 85° 10' 49.6" W

HEIGHT (In Feet) 270' AGL/1221' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 10.8 nm southeast of Campbellsville Airport. Preliminary review

indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed. **FAA DETERMINATION:** 2019-ASO-706-OE-No Hazard-Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

5. AS-056-LOU-2019-050

APPLICANTS NAME

U.S. Dept of Veterans Affairs

CONSTRUCTION LOCATION Louisville, KY

LATITUDE/LONGITUDE 38° 16' 39.36" N / 85° 37' 54.25" W

HEIGHT (In Feet) 162' AGL/762' AMSL

CONSTRUCTION PROPOSED Antenna tower (on 142 foot building)

NOTES: The antenna will be located 3.3 nm northeast of Bowman Louisville Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: 2019-ASO-8968-OE-No Hazard-No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with FAA determination.

6. AS-076-RGA-2019-051

APPLICANTS NAME Verizon Wireless (2)
CONSTRUCTION LOCATION Richmond, KY

LATITUDE/LONGITUDE 37° 48' 23.19" N / 84° 19' 38.1" W

HEIGHT (In Feet) 260' AGL/1182' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 10.4 nm north of Madison Richmond Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: 2019-ASO-8746-OE-No Hazard-Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

7. AS-100-SME-2019-053

APPLICANTS NAME SBA Towers CONSTRUCTION LOCATION Somerset, KY

LATITUDE/LONGITUDE 37° 9' 22.69" N / 84° 30' 42.74" W

HEIGHT (In Feet) 309' AGL/1557' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 7.8 nm northeast of Somerset Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

8. AS-099-I50-2019-054

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Stanton, KY

LATITUDE/LONGITUDE 37° 47' 41.67" N / 83° 40' 6.98" W

HEIGHT (In Feet) 420' AGL/1714' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 9.0 nm southeast of Stanton Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

9. AS-036-SJS-2019-055

APPLICANTS NAME John Monday CONSTRUCTION LOCATION Prestonsburg, KY

LATITUDE/LONGITUDE 37° 38' 43.6" N / 82° 53' 19.0" W

HEIGHT (In Feet) 290' AGL/1582' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 13.0 nm southwest of Big Sandy Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: 2019-ASO-1248-OE-No Hazard-Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

10. AS-088-9I3-2019-056

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION West Liberty, KY

LATITUDE/LONGITUDE 37° 58' 4.08" N / 83° 18' 16.87" W

HEIGHT (In Feet) 310' AGL/1426' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 4.1 nm northwest of West Liberty Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

11. AS-116-EKQ-2019-057

APPLICANTS NAME EAST KENTUCKY POWER COOPERATIVE

CONSTRUCTION LOCATION Monticello, KY

LATITUDE/LONGITUDE 36° 51' 8.64" N / 84° 50' 4.92" W

HEIGHT (In Feet) 72.5' AGL/1030.3' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 1.1 nm east of Monticello Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

12. AS-116-EKQ-2019-058

APPLICANTS NAME EAST KENTUCKY POWER COOPERATIVE

CONSTRUCTION LOCATION Monticello, KY

LATITUDE/LONGITUDE 36° 50′ 14.64″ N / 84° 52′ 8.04″ W

HEIGHT (In Feet) 63.5' AGL/1057.1' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 4,557 feet south of Monticello Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

13. AS-079-M34-2019-059

APPLICANTS NAME Calvert City Airport Board

CONSTRUCTION LOCATION Gilbertsville, KY

LATITUDE/LONGITUDE 37° 00' 29.65" N / 88° 17' 50.99" W

HEIGHT (In Feet) 12' AGL/361' AMSL

CONSTRUCTION PROPOSED Fuel Tanks

NOTES: The fuel tanks will be located 736 feet south of KY Dam Airport. Preliminary review indicates

this structure exceeds no state standard. Obstruction marking/lighting are not proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve without FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

14. AS-047-EKX-2019-060

APPLICANTS NAME BLUEGRASS CELLULAR

CONSTRUCTION LOCATION Glendale, KY

LATITUDE/LONGITUDE 37° 35' 48.16" N / 85° 54' 28.84" W

HEIGHT (In Feet) 255' AGL/1006' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 5.3 nm south of Elizabethtown Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

15. AS-075-2I0-2019-061

APPLICANTS NAME John Monday CONSTRUCTION LOCATION Island, KY

LATITUDE/LONGITUDE 37° 27' 26.29" N / 87° 9' 18.43" W

HEIGHT (In Feet) 270' AGL/826' AMSL CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 13.1 nm northeast of Madisonville Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: 2019-ASO-8270-OE-No Hazard-Medium Dual Obstruction Lighting

RECOMMENDATION: Approve in accordance with FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

16. AS-046-KY8-2019-062

APPLICANTS NAME HANCOCK COUNTY AIRPORT BOARD

CONSTRUCTION LOCATION Lewisport, KY

LATITUDE/LONGITUDE 37° 57' 33.37" N / 86° 51' 00.43" W

HEIGHT (In Feet) 0' AGL/411.5' AMSL

CONSTRUCTION PROPOSED Runway 23 Extension (1,002 ft)

NOTES: The extension will be located 1,002 ft from RWY 23 south at Hancock County Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are not proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve without FAA detetermination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

17. AS-097-CPF-2019-063

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Hazard, KY

LATITUDE/LONGITUDE 37° 17' 41.75" N / 83° 15' 17.40" W

HEIGHT (In Feet) 317' AGL/1257' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 5.5 nm south of Hazard Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: 2018-ASO-22760-OE-No Hazard-Medium Dual Obstruction Lighting **RECOMMENDATION:** Approve in accordance with FAA determination with Marker Balls only. **PUBLIC COMMENTS:** Public comments must be received before Wednesday, June 12, 2019.

18. AS-097-CPF-2019-064

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Hazard, KY

LATITUDE/LONGITUDE 37° 19' 10.64" N / 83° 17' 35.52" W

HEIGHT (In Feet) 275' AGL/1124' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 4.3 nm southwest of Hazard Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No

IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

19. AS-097-CPF-2019-065

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Hazard, KY

LATITUDE/LONGITUDE 37° 19' 21.50" N / 83° 17' 52.20" W

HEIGHT (In Feet) 255' AGL/1418' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 4.3 nm southwest of Hazard Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No

IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

20. AS-013-JKL-2019-066

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Jackson, KY

LATITUDE/LONGITUDE 37° 30' 55.64" N / 83° 22' 47.17" W

HEIGHT (In Feet) 253' AGL/1031' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 5.6 nm southwest of Julian Carroll Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No

IFR/VFR effect.

21. AS-013-JKL-2019-067

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Jackson, KY

LATITUDE/LONGITUDE 37° 32' 20.63" N / 83° 22' 46.51" W

HEIGHT (In Feet) 214' AGL/1023' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 4.4 nm southwest of Julian Carroll Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No

IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

22. AS-013-JKL-2019-068

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Jackson, KY

LATITUDE/LONGITUDE 37° 36' 0.13" N / 83° 22' 44.83" W

HEIGHT (In Feet) 263' AGL/1133' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 2.9 nm west of Julian Carroll Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

23. AS-013-JKL-2019-069

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Jackson, KY

LATITUDE/LONGITUDE 37° 36' 9.68" N / 83° 22' 42.29" W

HEIGHT (In Feet) 262' AGL/1127' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 3.0 nm west of Julian Carroll Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No

IFR/VFR effect.

24. AS-013-JKL-2019-070

APPLICANTS NAME Kentucky Power Co.

CONSTRUCTION LOCATION Jackson, KY

LATITUDE/LONGITUDE 37° 39' 16.12" N / 83° 21' 53.71" W

HEIGHT (In Feet) 210' AGL/1248' AMSL

CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 4.2 nm northwest of Julian Carroll Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with Marker Balls and pending FAA Determination of No Hazard/No

IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

25. AS-064-SJS-2019-071

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Fallsburg, KY

LATITUDE/LONGITUDE 38° 8' 47.97" N / 82° 38' 29.88" W

HEIGHT (In Feet) 310' AGL/1162' AMSL

CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

NOTES: The antenna is located 23 nm north of Big Sandy Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

26. AS-080-SJS-2019-072

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Naugatuck, KY

LATITUDE/LONGITUDE 37° 46' 53.40" N / 82° 21' 26.20" W

HEIGHT (In Feet) 310' AGL/1678' AMSL

CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

NOTES: The antenna is located 13 nm east of Big Sandy Airport. Preliminary review indicates this

structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

27. AS-080-SJS-2019-073

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Milo, KY

LATITUDE/LONGITUDE 37° 55' 23.6" N / 82° 34' 48.2" W

HEIGHT (In Feet) 310' AGL/1428' AMSL

CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

NOTES: The antenna is located 10 nm north of Big Sandy Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

28. AS-080-SJS-2019-074

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Inez, KY

LATITUDE/LONGITUDE 37° 51' 38.43" N / 82° 32' 53.16" W

HEIGHT (In Feet) 310' AGL/1335' AMSL

CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

NOTES: The antenna is located 7.7 nm northeast of Big Sandy Airport. Preliminary review indicates

this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

29. AS-064-SJS-2019-075

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Ulysses, KY

LATITUDE/LONGITUDE 37° 57' 12.40" N / 82° 40' 39.86" W

HEIGHT (In Feet) 310' AGL/1264' AMSL

CONSTRUCTION PROPOSED Antenna Tower (Lighting Change)

NOTES: The antenna is located 12 nm north of Big Sandy Airport. Preliminary review indicates this

structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

30. AS-008-CVG-2019-077

APPLICANTS NAME Paul Hemmer Company

CONSTRUCTION LOCATION Florence, KY

LATITUDE/LONGITUDE 39° 1′ 59.56" N / 84° 38′ 1.82" W

HEIGHT (In Feet) 40' AGL/983' AMSL

CONSTRUCTION PROPOSED Building

NOTES: The building will be located 3,667 ft east of RWY 18L/36R at Cincinnati Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed **FAA DETERMINATION:** Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

31. AS-054-2I0-2019-078

APPLICANTS NAME John Monday
CONSTRUCTION LOCATION Madisonville, KY

LATITUDE/LONGITUDE 37° 25' 30.5" N / 87° 24' 47.0" W

HEIGHT (In Feet) 270' AGL/721' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 4.18 nm north of Madisonville Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

32. AS-013-JKL-2019-080

APPLICANTS NAME John Monday CONSTRUCTION LOCATION Jackson, KY

LATITUDE/LONGITUDE 37° 31' 39.3" N / 83° 17' 58.1" W

HEIGHT (In Feet) 320' AGL/1653' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 4.06 nm south of Julian Carroll Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

33. AS-104-K24-2019-081

APPLICANTS NAME RUSSELL COUNTY AIRPORT BOARD

CONSTRUCTION LOCATION Jamestown, KY

LATITUDE/LONGITUDE 37° 0' 24.7" N / 85° 6' 0.8" W

HEIGHT (In Feet) 25' AGL/995' AMSL CONSTRUCTION PROPOSED Terminal Building

NOTES: The building will be located 650 east of RWY 17/35 at Jamestown Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting are not proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve without FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 12, 2019.

VI. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH EXCEEDS MINIMUM OBSTRUCTION STANDARDS:

1. AS-007-1A6-2019-052

APPLICANTS NAME East KY Network LLC (Ivel KY)

CONSTRUCTION LOCATION Middlesboro, KY

LATITUDE/LONGITUDE 36° 36' 47.76" N / 83° 42' 33.62" W

HEIGHT (In Feet) 190' AGL/1320' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 6,487 feet east of Middlesboro Airport. Preliminary review indicates this structure exceeds state standard 602 KAR 50:010 Sec 2(14) by 12 feet. Obstruction marking/lighting are proposed.

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

2. AS-008-CVG-2019-076

APPLICANTS NAME Paul Hemmer Company

CONSTRUCTION LOCATION Florence, KY

LATITUDE/LONGITUDE 39° 1′ 59.56" N / 84° 38′ 1.82" W

HEIGHT (In Feet)
CONSTRUCTION PROPOSED

130' AGL/1073' AMSL
Construction Crane

NOTES: The crane will be located 3,667 ft east of RWY 18L/36R at Cincinnati Airport. Preliminary review indicates this structure exceeds state standard 602 KAR 010 Sec 2 (14) by 27 ft. Obstruction marking/lighting are not proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, April 10, 2019.

3. AS-046-KY8-2019-079

APPLICANTS NAME John Monday CONSTRUCTION LOCATION Lewisport, KY

LATITUDE/LONGITUDE 37° 57' 39.2" N / 86° 49' 20.8" W

HEIGHT (In Feet) 199' AGL/757' AMSL

CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 1.4 nm east of Hancock County Airport. Preliminary review indicates this structure exceeds state standard 602 KAR 50:010 Sec 2 (14) by 196 ft. Obstruction marking/lighting are proposed

FAA DETERMINATION: Not available.

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA

Determination of No Hazard/No IFR/VFR effect.

VII. **FINES:** No Items.

VIII. NEW BUSINESS ACTION REQUIRED: Meeting location for the KAZC.

IX. **ADJOURN:**

Next Meeting – August 8, 2019